

OpenTagger: A flexible and user-friendly linguistic tagger

Hugo Sanjurjo-González (University of Deusto)

Olaia Andaluz-Pinedo (University of the Basque Country UPV/EHU)

pen
Tagger

 **Deusto**
Universidad de Deusto

eman ta zabal zazu


Universidad
del País Vasco Euskal Herriko
Unibertsitatea

TABLE OF CONTENTS

1. Related work
2. Motivation
3. Description of the application
4. Software demonstration
5. Final remarks

1. RELATED WORK

- Proposed classification for annotation tools:
 - Audio and Video (ELAN, ANVIL, EXMARaLDA)
 - Transcripts (Hexatomic, Dart)
 - Grammars (Nooj)
 - Machine learning (AlpacaTag, Inception)
 - Corpus linguistics (UAM Corpus Tool)



2. MOTIVATION

- Tailor-made annotation tagsets for corpus-based analysis.
- Export format compatible with corpus analysis applications.
- Distinctive characteristics:
 - user-friendly
 - high flexibility
 - web-access service




3. DESCRIPTION OF THE APPLICATION

- Service-oriented single-page Web app.
- All functionality is shifted in the client-side.
- Back-end: Pure Javascript.
 - jquery 3.5
 - jquery-highlight
 - gridstrap.js
- Front-end: Bootstrap 4.5.




SERVER



PAGE

DEMO



5. FINAL REMARKS

- OpenTagger offers an answer to any need for a tailor-made annotation system.
- Open web service for any user.
- Keep It Simple.
- Flexibility.
- User friendliness.

Thank you very much for your attention!

Hugo Sanjurjo-González

hugo.sanjurjo@deusto.es

Olaia Andaluz-Pinedo

olaia.andaluz@ehu.es